

DEPLOYABLE

SUPPLY SUPPORT ACTIVITY

ALWAYS READY.

SUPPLY SUPPORT ACTIVITY

All material has a designated space, whether it is for *distribution* or *stock control*, so items received can quickly be transitioned to their respective locations. This prevents receiving becoming congested, thereby promoting a more effective flow in operations.

RECEIVING

Accountability by Stock Number.

TURN-IN

Secure storage with flexibility to adapt to the current situation.

DISTRIBUTION

Secure storage with accountability by DODAAC.

STOCK CONTROL

Accountability by Stock Number.



IMPROVED
SPACE UTILIZATION



REDUCED TIME FOR
PACKING AND LOADING



REDUCTION
IN LOST MATERIAL



BULK STORAGE

Use the SHARKCAGE Stack Rack XXL+ to accommodate pallets and other large boxes in the distribution and stock control area.



ORGANIZE BY DODAAC

With individually lockable compartments, equipment is stored securely, while still being accessible to the correct recipient.



DUAL-SIDE ACCESS

Some of the cages have access both in the front and in the back making it possible for the SSA to access the back, while the customer can have a different key for the front.




REARRANGE YOUR WAREHOUSE QUICKLY

All SHARKCAGES can be easily moved by a forklift or a pallet-jack. They can also be outfitted with removable wheels.




MULTIPLE OR SINGLE COMPARTMENTS IN EACH CAGE

While the distribution areas often require cages with several smaller compartments to fit all the DoDAACs, turn-in and stock control benefits from larger and fewer doors. The SHARKCAGE is available in both options.



TRAIN AS YOU FIGHT



Move the SHARKCAGE into standard containers
The SHARKCAGES are designed to be transported in standard shipping containers, TRICONs or on air pallets. Move directly into the container using a forklift and you are ready to move.



Transport using any mode of transport
Testing at Defense Ammunition Center in McAlester (DAC) has proven the cages are strong enough for any mode of transport, even when fully loaded with ammunition.



Train as you fight - fight as you train
Organize and operate identically in the field as you do in the warehouse by using the same cage in a container, shelter or prefab in the field.



Operate directly out of standard containers
The SHARKCAGES can transform a standard container into a deployed warehouse in minutes.

FIGHT AS YOU TRAIN




REDUCTION IN
DAMAGED MATERIAL



REDUCTION IN
SETUP TIME



DOUBLED CAPACITY
IN CONTAINER





SC-TL-MD-2D-03

SHARED
FEATURES



HINGED
DOORS



LOCKABLE
COMPARTMENT

DESCRIPTION

The TACTICAL LOCKER has double doors secured by one standard padlock. The unique design ensures high capacity-to-weight ratio and maximum internal-to-external volume.

Shelves can be taken out, and the cage has multiple shelf positions.

SUITABLE FOR

Everyday access to tools, spare parts, dive gear and supplies, with the possibility of securing the equipment quickly.



SHARED
FEATURES



AISLE IN
CONTAINER



BLOCKING AND
BRACING

SC-CW-WW-3F-03

DESCRIPTION

The TACTICAL LOCKER CW is made to fit in a 10ft (BICON) or 20ft container and use the blocking and bracing to keep an aisle open between the cages, even during transport. This makes it possible to use a standard container as a mobile warehouse and access equipment immediately after download or even during transit.

These cages are also popular outside the container because the depth is perfect for many storage situations and most content.

Shelves can be taken out and the cage has multiple shelf positions.

Some of these lockers come with panel doors that can be taken off, which is practical when space is limited or when the content is seldom secured. If the content should often be secured, a hinged door is better.

SUITABLE FOR

Storage inside containers, when aisle space is limited, or for storage situations outside the warehouse where the shallower depth is more suitable.



TACTICAL LOCKER SMALL

NSN: 8145-01-512-1023, PC: SC-TL-SM-2D-02

Size (W/D/H) 52/42/65 [in] | 132/106/165 [cm]
Weight 565lbs | 260kg
Capacity 5000lbs | 2250kg
Shelves Four levels



QUADCON



20 FT



PLS



463L



TACTICAL LOCKER I90

NSN: 8145-01-512-1025, PC: SC-TL-90-2D-02

Size (W/D/H) 49/39/79 [in] | 125/100/200 [cm]
Weight 500lbs | 225kg
Capacity 4000lbs | 2000 kg
Shelves Four levels



ISU 90



20 FT



463L



TACTICAL LOCKER MEDIUM

NSN: 8145-01-512-0901, PC: SC-TL-MD-2D-04

Size (W/D/H) 70/41/79 [in] | 178/105/200 [cm]
Weight 900lbs | 355kg
Capacity 5000lbs | 2250kg
Shelves Three levels



TRICON



BICON



20 FT



PLS



3
LOCKABLE
COMPARTMENTS



PANEL DOORS

TACTICAL LOCKER FP CWL-

PC: SC-CW-WW-3F-03

Size (W/D/H) 55/30/83 [in] | 140/75/210 [cm]
Weight 450lbs | 180kg
Capacity 4000lbs | 2000kg
Shelves Three levels



BICON



20 FT



1
LOCKABLE
COMPARTMENT



HINGED DOORS

TACTICAL LOCKER CWL

NSN: 5410-01-499-0723, PC: SC-TL-WL-2D-03

Size (W/D/H) 57/30/85 [in] | 145/75/216 [cm]
Weight 475lbs | 215kg
Capacity 4000lbs | 2000kg
Shelves Three levels



BICON



20 FT



4
LOCKABLE
COMPARTMENTS



HINGED DOORS

QUADLOCKER CWL

NSN: 8145-01-512-0919, PC: SC-TL-WL-QD-02

Size (W/D/H) 57/30/83 [in] | 145/75/210 [cm]
Weight 580lbs | 265kg
Capacity 5000lbs | 2250kg
Shelves One in each compartment.



BICON



20 FT



3
LOCKABLE
COMPARTMENTS



PANEL DOORS

TACTICAL LOCKER FP CWXL

NSN: 8145-01-512-1019, PC: SC-TL-XL-3F-03

Size (W/D/H) 76/30/86 [in] | 194/75/218 [cm]
Weight 610lbs | 275kg
Capacity 4000lbs | 2000kg
Shelves Three levels



BICON



20 FT

TACTICAL BASKET



SHARED FEATURES

TOP AND FRONT ACCESS

LOCKABLE COMPARTMENT

SC-BA-XL-GT-01 WITH VERTICAL DIVIDERS SC-BA-XL-00-22



SC-BA-MD-HG-01

HALF GATE (HG)



SC-BA-XL-GT-01



4 EA SC-BA-MD-GT-01
IN A TRICON CONTAINER

DESCRIPTION

The TACTICAL BASKET has a gas spring assisted top lid and front gate that are secured with one standard padlock.

The gate can be used to roll tents or covers into the cage, or to simplify walking into the cage when stacking equipment. The gate is also detachable.

The HALF GATE (HG) version has a gate which folds down. This makes it easier to access equipment inside the cage, especially if it is stacked. This gate is not detachable.

For all TACTICAL BASKETS we have both full and half gates available, but the version not listed here is in the *SPECIAL ORDER* section (p. 24).

SUITABLE FOR

Covers, tents, parachutes and other large items.


THE ORIGINAL

SHARED FEATURES

PANEL DOORS

COLLAPSIBLE

AMMUNITION CERTIFIED




SC-CI-MD-3P-02

DESCRIPTION

THE ORIGINAL has a collapsible design, which can be assembled and dissassembled without tools. It has panels on both sides that are detached for accessing equipment in the cage. Each panel is locked individually with a standard padlock. The cage has multiple shelf positions.

SUITABLE FOR

Contingency and ammunition storage, deployment and container management.



3 LOCKABLE COMPARTMENTS

ORIGINAL SMALL

NSN: 8145-01-512-1022, PC: SC-ST-IF-3P-02


Size (W/D/H) 52/42/62 [in] | 132/106/158 [cm]

Weight 600lbs | 270kg

Capacity 5000lbs | 2250kg

Shelves Three levels

QUADCON 20 FT PLS 463L



3 LOCKABLE COMPARTMENTS

ORIGINAL MEDIUM

NSN: 8145-01-562-0607, PC: SC-CI-MD-3P-02

Size (W/D/H) 70/41/79 [in] | 178/104/200 [cm]

Weight 650lbs | 290kg

Capacity 5000lbs | 2250kg

Shelves Three levels

TRICON BICON 20 FT PLS



4 LOCKABLE COMPARTMENTS

ORIGINAL LARGE

NSN: 8145-01-512-0923, PC: SC-CI-LG-4P-02


Size (W/D/H) 84/43/85 [in] | 213/110/216 [cm]

Weight 960lbs | 440kg

Capacity 5000lbs | 2250kg

Shelves Four levels

20 FT 463L PLS



4 LOCKABLE COMPARTMENTS

ORIGINAL XXL

NSN: 8145-01-586-0404, PC: SC-CI-XX-4P-02


Size (W/D/H) 104/42/85 [in] | 265/107/216 [cm]

Weight 1300lbs | 590kg

Capacity 5000lbs | 2250kg

Shelves Four levels

20 FT 463L PLS



HALF GATE

TACTICAL BASKET HG MEDIUM

NSN: 8145-01-512-0918, PC: SC-BA-MD-HG-01


Size (W/D/H) 70/41/39 [in] | 178/105/100 [cm]

Weight 400lbs | 180kg

Capacity 4000lbs | 2000kg

Dividers Available as accessory

TRICON BICON 20 FT PLS



FULL GATE

TACTICAL BASKET XL

NSN: 8145-01-499-0718, PC: SC-BA-XL-GT-01


Size (W/D/H) 84/52/43 [in] | 213/132/110 [cm]

Weight 660lbs | 275kg

Capacity 4000lbs | 2000kg

Dividers Available as accessory

BICON 20 FT 463L



HALF GATE

TACTICAL BASKET HG XXL

PC: SC-BA-XX-HG-01, NSN: 8145-01-499-0722

Size (W/D/H) 104/42/41 [in] | 264/106/105 [cm]

Weight 660lbs | 300kg

Capacity 3500lbs | 1750kg

Dividers Available as accessory

BICON 20 FT 463L

WHEEL STORAGE AND TRANSPORT



FEATURES



ADAPT TO WHEEL SIZE



VERTICAL STORAGE

SC-WS-LG-GT-01

DESCRIPTION

The Wheel Storage and Transport (WST) I fits up to 6 ea HMMWV wheel assemblies while stacking two-high in a 20ft container, increasing the capacity of a 20ft container to 60 ea HMMWV wheel assemblies. The pivoting front gate, secured by two standard cargo straps, and adjustable side walls enable fit for most military wheels.

We have developed an optional extender (SC-WS-LG-GT-61) for the largest wheels, of 52" and up.

SUITABLE FOR

Units and warehouses that store and deploy with large amounts of wheels. Enables compliance with vertical stacking requirement. Fits wheels up to 51" tall. With extenders (accessory), WST I fits wheels up to 74" tall.

T-RAX STACK RACK

FEATURES



COLLAPSIBLE



TX-SR-XX-ST-02

DESCRIPTION

STACK RACK has two detachable end walls and detachable pallet stoppers in the back. It is assembled in minutes. Accommodates two pallets side by side, with ample room for slack. Collapsible to a height of 11", making it possible to fit 28 ea flat packed into a 20ft container and 80 ea into a 40ft container.


The STACK RACK comes with standard hot-dip-galvanizing, like our other cages, but can be painted with red horizontally and blue vertically for increased safety in the warehouse.

Add a gridded back wall to prevent loose items falling off the back.

SUITABLE FOR

Temporary and deployed warehouses, but standard warehouses could also benefit from the flexibility of the STACK RACK.


Accommodates EURO pallets, US military standard pallets and most other common pallets in the US.




WHEEL STORAGE AND TRANSPORT (WST) I

NSN: 8145-01-586-0408, PC: SC-WS-LG-GT-01


Size (W/D/H) 89/45/59* [in] | 226/115/150* [cm]
Weight 460lbs | 210kg
Capacity 4000lbs | 2000kg
*Adjustable height based on wheel size



20 FT



463L



PLS

STACK RACK XXL+ KIT

NSN: 8145-01-512-1017, PC: TX-SR-XX-ST-91

Size (W/D/H) 115/44/60 [in] | 293/113/148 [cm]
Weight 400lbs | 175kg
Capacity 5000lbs | 2250kg
Stackable Four high

WHEEL STORAGE AND TRANSPORT II



FEATURES



ADAPT TO WHEEL SIZE



VERTICAL STORAGE

SC-WS-HD-TP-01

DESCRIPTION

The WHEEL STORAGE AND TRANSPORT II was designed to accommodate run-flat MRAP wheels of up to 2,500lbs each, but is also used by units that have low quantities of wheels. The WST II secures the wheels by lowering the entire top construction to lock the wheels in place. The front gate slams shut and can be used to secure the wheels in storage for easier access.

SUITABLE FOR

Vertical storage and transportation of two large wheels from 35" to 54" in diameter and 2500 lbs each in compliance with vertical storage requirements for pneumatic wheels, according to the Joint Service Manual.

XXL+ GRID WALL

PC: TX-SR-XX-ST-22

Weight 50lbs | 22kg
Description Optional additional grid wall, which can be attached to the front without tools.


ACCESSORY

XXL+ VISIBILITY PAINT

PC: TX-SR-XX-ST-70, ACCESSORY FOR STACK RACK XXL+

Weight 7lbs | 3kg
Description Red horizontally and blue vertically. Paint added on top of the galvanization for same corrosion resistance as our other cages.


ACCESSORY




WHEEL STORAGE AND TRANSPORT (WST) II

NSN: 8145-01-512-0913, PC: SC-WS-HD-TP-01


Size (W/D/H) 44/55/67* [in] | 111/139/170* [cm]
Weight 400lbs | 175kg
Capacity 5000lbs | 2250kg
*Adjustable height based on wheel size



20 FT



463L



PLS



FEATURES



HINGED DOORS



LOCKABLE COMPARTMENT



AISLE IN CONTAINER



BLOCKING AND BRACING



SC-CW-MD-2D-03

DESCRIPTION

The TACTICAL LOCKER CWM is our most flexible and feature-rich cage. It comes with removeable wheels, weather cover, cargo net on the roof and straps on each of two shelves.

The cage can be locked and it is also possible to secure the cage to a wall, or another cage, at the back and to the side. To increase security further, the wheel-brake can be locked ON and only unlocked by opening the door.

The cage comes with blocking and bracing to transform a TRICON or 20ft container into a mobile warehouse with all content accessible.

SUITABLE FOR

Areas where there is an extra requirement for rapid movement, like the receiving area or turn in. It also allows for transition into containers without a forklift.



TACTICAL LOCKER CWM

NSN: 8145-01-512-1015, PC: SC-CW-MD-2D-03

Size (W/D/H) 41/26/75 [in] | 105/67/191 [cm]

Weight 350lbs | 160kg

Capacity 3000lbs | 1350kg

Shelves Two levels

TRICON

20 FT

ISU 90



CWM DRAWER

NSN: 8145-01-512-1012, PC: SC-AC-CW-MD-62

ACCESSORY

Size Six fits in each TACTICAL LOCKER CWM

Weight 65lbs | 30kg

Capacity 30 ea pistols or up to 150lbs | 75 kg

Includes Two removeable half-width foam inserts and installation hardware.



MEDIUM CONTAINER RAMP

PC: AC-CW-MD-02-60

ACCESSORY

Size (W/D/H) 33/34/7 [in] | 84/86/19 [cm]

Weight 22lbs | 10kg

Capacity 6000lbs | 2700kg

BOXES



POB 6

PC: PB-60-40-06-02

POB

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 6lbs | 3kg

Capacity 100lbs | 50kg

Includes Lid

Fits well in cages of this size:

CWL

CWXL



POB 6 WITH DIVIDER KIT 2 LONG

PC: PB-60-40-06-2L

POB

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 9lbs | 4kg

Capacity 100lbs | 50kg

Includes Lid and removable dividers splitting the box into two long compartments.

Fits well in cages of this size:

CWL

CWXL



POB 6 WITH DIVIDER KIT 4

PC: PB-60-40-06-4S

POB

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 9lbs | 4kg

Capacity 100lbs | 50kg

Includes Lid and removable dividers splitting the box into four compartments.

Fits well in cages of this size:

CWL

CWXL



POB 6 WITH DIVIDER KIT 8

PC: PB-60-40-06-8S

POB

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 10lbs | 4.5kg

Capacity 100lbs | 50kg

Includes Lid and removable dividers splitting the box into eight compartments.

Fits well in cages of this size:

CWL

CWXL



POB 6 WITH DIVIDER KIT 16

PC: PB-60-40-06-16

POB

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 10lbs | 4.5kg

Capacity 100lbs | 50kg

Includes Lid and removable dividers splitting the box into sixteen compartments.

Fits well in cages of this size:

CWL

CWXL



POB 12

PC: PB-60-40-12-02

POB

Size (W/D/H) 16/24/12 [in] | 40/60/29 [cm]

Weight 7lbs | 3.5g

Capacity 100lbs | 50kg

Includes Lid

Fits well in cages of this size:

CWL

CWXL



PADDED DIVIDERS FOR SERIES 12 BOXES

PC: AB-00-CW-12-PD, FOR POB 12 AND ALUMABOX CW 12

Size (W/D/H) 16/24/6 [in] | 40/60/16 [cm]

Weight 2lbs | 1kg






Description Adjust spacing in the compartments by moving or removing some of the dividers.

Fits well in boxes of size 12

12

13

TACTICAL LOCKER					TACTICAL LOCKER FP		TACTICAL BASKET			THE ORIGINAL			
LOCKER SIZE:													
PRODUCT CODE:													

Product codes for accessories which fit the cages below														Product codes for accessories which fit the cages below, no value means it is not available													
TACTICAL LOCKER										TACTICAL LOCKER FP				TACTICAL BASKET				THE ORIGINAL									
LOCKER SIZE:										CWL-		CWXL		M		XL		XXL		M		L		XXL			
PRODUCT CODE:										SC-TL-WW-3F-03		SC-CW-XL-3F-03		SC-BA-MD-HG-01		SC-BA-XL-GT-01		SC-BA-XX-GT-01		SC-CI-MD-3P-02		SC-CI-LG-4P-02		SC-CI-XX-4P-02			
	DIVIDER WALLS		Description Divide a TACTICAL BASKET vertically into two or more compartments.											SC-BA-MD-00-22	SC-BA-XL-00-22	SC-BA-XX-00-22											
	BACK AND SIDE PLATES		Description Back and side plates added inside the grid to reduce airflow, prevent equipment from getting stuck in the grid, limit visibility or to provide a different look.		SC-TL-WL-QD-74								SC-BA-MD-GT-75		SC-BA-XL-GT-75	SC-BA-XX-GT-75											
							For QUAD LOCKER CWL only. Blue color.																				
	CONTAINER BLOCKING AND BRACING		Description Used to keep the center aisle open in a container, even during transport. This will enable a walkway and make all equipment accessible inside the container. Add one per cage.				SC-CW-00-02-60 8145-01-499-0720				SC-CW-00-02-60 8145-01-499-0720		SC-CW-00-02-60 8145-01-499-0720														
	COVERS		Description Add a cover to protect equipment inside the cage against the elements. Access strapping points through openings in the cover. Dove gray is standard color.		SC-TL-SM-CV-41 8145-01-512-1002		SC-TL-90-CV-41 8145-01-512-1005		SC-TL-WL-CV-41 8145-01-512-0935		SC-TL-MD-CV-41 8145-01-512-1003						SC-CI-MD-CV-41 8145-01-512-1003		SC-CI-LG-CV-41 8145-01-512-1004		SC-CI-XX-CV-41						
	UNIVERSAL WHEEL KIT		Description Four heavy-duty wheels which attach to the cage for increased mobility in the warehouse. Fits almost all SHARKCAGES.		SC-AC-WH-GA-01 8145-01-512-0909		SC-AC-WH-GA-01 8145-01-512-0909		SC-AC-WH-GA-01 8145-01-512-0909		SC-AC-WH-GA-01 8145-01-512-0909				SC-AC-WH-GA-01 8145-01-512-0909		SC-AC-WH-GA-01 8145-01-512-0909	SC-AC-WH-GA-01 8145-01-512-0909	SC-AC-WH-GA-01 8145-01-512-0909	SC-AC-WH-GA-01 8145-01-512-0909	SC-AC-WH-GA-01 8145-01-512-0909	SC-AC-WH-GA-01 8145-01-512-0909	SC-AC-WH-GA-01 8145-01-512-0909	SC-AC-WH-GA-01 8145-01-512-0909			



SC-TL-MD-2D-03

With SHARKCAGEs you can secure content by locking the cage, you can move it around with a pallet jack or you can deploy with the entire cage and its contents.

For maintenance, this can result in huge process improvements, both when moving the operation and on the installation.

Maintainers we interviewed reported up to 25% improvement for the entire phased maintenance process. The largest improvements came from reduced setup time and reduced walking distance on the installation.

During deployment, they reduced packing time by roughly 80%.



FLEXIBLE WAREHOUSE



TX-SR-XX-ST-02

Our STACK RACK makes it possible to set up a pallet rack without tools in minutes. Break it down, move it and set it up again.

This flexibility can make the warehouse layout dynamic and adapt to a specific operation and variations in storage need.

Flat packing the racks and stuffing a temporary warehouse anywhere in the world, inside or out.

USE OUR FREE ONLINE TOOL 3DPLANNER.SHARKCAGE.COM TO

PLAN WITH A FEW CLICKS

Our 3D PLANNER is free to use and makes it easy to draw up your warehouse or a temporary location and add cages. Use it to see how your warehouse will work and plan how you will change it.

A screenshot from a browser:



FREE TO USE
NO DOWNLOAD NEEDED



PLAN

Plan your future layout in advance using a library of real-size containers, vehicles, people and SHARKCAGE products. Work directly in your browser without downloading any software and see the layout in top view, 3D view or even take a virtual walk-through right in your browser!



TEST

Preview your plan in 3D, measure distances and "walk" around to ensure the new warehouse fits your need. You can easily create and save several pre-planned layouts for different operations. Always Ready to move!



PRINT

Print saved plans after adding text and measurements. NSN, product codes and product sheets for SHARKCAGE products are also available.



ALWAYS READY.

SHARKCAGE INC.
1-888-350-CAGE
SAN ANTONIO, TEXAS

SHARKCAGE AS
+47 6669-6670
OSLO, NORWAY

WWW.SHARKCAGE.COM